

In the Claims

1. (Original) A golf putter head comprising:

a top, a bottom, a flat striking surface, a curvilinear striking surface and a shaft receiving aperture;

said flat striking surface having a first striking line;

said curvilinear striking surface having a second striking line; and

said second striking line being located at a distance higher from said bottom than said first striking line.
2. (Original) The golf putter head of claim 1 wherein said curvilinear striking surfaces has an interior radius ranging from 0.84 inches to 0.9375 inches.
3. (Original) The golf putter head of claim 1 wherein said bottom has at least one recessed portion.
4. (Original) The golf putter head of claim 3 wherein said at least one recessed portion is semicircular having a radius of 0.875 inches.
5. (Original) The golf putter head of claim 1 wherein said top has a concave portion.
6. (Original) The golf putter head of claim 5 wherein said concave portion has a radius of 0.875 inches to 1.0 inch.
7. (Currently Amended) The golf putter head of claim 1 wherein said flat striking surfaces contains an ~~inset~~ insert.

Claims 8-10 are canceled.

11. (Original) A golf putter head comprising:
- a top, a bottom, a flat striking surface, a curvilinear striking surface, a shaft receiving aperture;
 - said flat striking surface having a first striking line;
 - said curvilinear striking surface having a second striking line;
 - said second striking line being located at a distance higher from said bottom than said first striking line;
 - said bottom having at least one beveled edge; and
 - said bottom having at least one convex portion.
12. (Original) The golf putter head of claim 11 wherein said top has at least one convex portion.
13. (Original) The golf putter head of claim 11 wherein at least one of said curvilinear striking surfaces has an interior radius ranging from 0.8125 inches to 0.9375 inches.
14. (Currently Amended) The golf putter head of claim 11 wherein said flat striking surfaces contains an ~~inset~~ insert.

Claims 15-19 are canceled.

20. (New) A golf putter head, comprising:
- a top surface and a bottom surface;
 - at least one flat surface for striking a golf ball extending between said top and bottom surface;

first and second ends connecting said top and bottom surface and said at least one flat surface, said first and second ends being curvilinear and defining at least a second location for striking a golf ball;

said curvilinear end surfaces each having a radius which is greater than a radius of a golf ball.